


# KL 112.1 Miniature Folding Machine



### KL 112.1 – Miniature Folding Machine



The Herzog+Heymann Miniature Folding Machine Series KL112.1 is designed for the production of small and miniature folded products. Due to the fold roller diameter of just 26 mm, a minimal fold length of up to 18 mm can be achieved. In combination with a maximum buckle plate number of up to 16 buckle plates, large sheets can be folded down to a minimal end format.

Flexibility is one of the strengths of the KL112.1 folding machine series: regardless of whether you want to manufacture products for pharmaceuticals (such as inserts and outserts), operating manuals or glued and tacked booklets. The modular design means that the right configuration and solution is available for every requirement and every product. In addition, existing components as well as units from the Herzog+Heymann M7 and M8 series can also be combined.



## **Configuration Options**





KL 112.1 with corresponding cross-fold unit and continuous feeder



KL 112.1 with stream suction feeder



Example of web finishing using MBO unwinder

### Options



Camera- and waterscoring system



Transfer unit with sheet ejector unit



Tried and tested, low-maintenance gear drive



Pre- and rear slitter shaft for cutting, scoring and perforating



Double stream device



Double gatefold plate



Integrated gluing system for fold gluing



Sheet monitoring system

## Additional units

#### Deliveries for the KL 112.1

The selection of delivery systems ranges from simple stream delivery units through to efficient vertical stacker delivery systems for up to 4-up jobs. All Herzog+Heymann delivery systems are modular and manually or electrically height-adjustable, making them very flexible in use.





Stream delivery

#### Add-on units

Depending on customer requirements, additional finishing units may be necessary to be able to manufacture specific products. As well as small format and belt presses, parallel and crossfold knife units, cutting and scoring Vertical stacker delivery

devices as well as labelers and more can be integrated into the Herzog+Heymann KL 112.1 folding range in a modular way.



Marking device for lateral offset of single and multiple-up sheets

Cutting and scoring unit

Crossfold knife unit

### ) polipotrios ns

#### Mi Miniature Folding Machine KL112.1


- Stream suction, flat pile or continuous feeders (mobile or fixed)
- Working widths: 35 cm (13 2/3"), 45 cm (17 3/5") and 52 cm (20 2/5")
- 2-16 buckle plates
- Integrated camera system for mix-up control
- Cold gluing system and coordinating segmented fold rollers

- Sheet monitoring system
- Conveyors with spreader and ejector functions
- Crossfold and parallel fold knife units
- Pressing units for even flatter products
- Labelers
- Stream delivery or vertical stacker delivery

### e**TechicaicS**peperiotations

Foldir Folding unit working width			350 mm (13 2/3")		450 mm (17 3/5")		520 mm (20 2/5")
Stream <b>Stretion feetlen</b> feet	Min.		1 550400nmmna 40 mm 5(28‴)×1 5/8")		1 550400nmmna 40 mm 5128**)x 1 5/8**)		154400000000000000000000000000000000000
	Max.		n356550nnxn550mm "(\$322/2/3%)212/3")		n4≨06 <b>50nnx</b> n650mm "( <b>*725/8/</b> 5%)253/5")		ო <b>ნ &amp; G6 ნ 0 ით ო 6</b> 50 m m "( <b>&amp; 02                                   </b>
Flat pile <b>Ffeeød</b> e feeder	Min.	Min <del>.</del> -	-		x801005mmxm105mm x(3411/385‴)x41/8")		a &0105mmxm105mm x/3411/88** x 4 1/8**)
	Max.	Max <del>.</del>	-		n45201p0000 xm1p000 mm "(\$7407/4 × 40")		n520110000 xm1n0000 mm "(2042/5" x 40")
ContinuCounstfeeders feeder	Min.	Min-	-	-	-		m1≨01800nmxm180mm "I6" x 7")
	Max.	Max <del>.</del>	-	-	-		ກ5201¢000xm1p000mm "(2042/5"x40")
Folding Florhdjthgnheinngth min.			18 mm (18)/4 inch)				
Num be Nonfnblonek kerfpblandedse plates		2 bis 162 bis 16					
Speed Speed		35 bis 1 <b>36 bis</b> m150 m/min					

Floorplan KL 112.1 with flat pile feeder F465 and delivery 177.1



HerzogHetzygneinley@rabihl@r0bdH@GCo.KG Dunlop&ural&pst5a&& 45&&&89 B&&&BeBdelef@ktma@grmany Phone RH&r(0)+&20(5075095075009500@hitef@cghiteszogalmeycoamn.com www.herzoghiteszogalmeycoamn.com

### Floorplan KL 112.1 with continuous feeder R535 and delivery 177.1

